# Work Order ID 110862

*January-08-14 12:36:22 PM*

*110862*



**Item ID:** D4003-049 **Accept** *N900040100* **Setup Start** *NS1*

**Revision ID:** **Stop** *NS2*

**Item Name:** Tank Vent Line Assembly

**Start Date:** 1/08/14 **Start Qty:** 2.00 *2*

**Required Date:** 1/08/14 **Req'd Qty:** 2.00 *2*

**Reference:**

**Cust Item ID:**

**Customer:**

**Run Start** *NR1*

**Stop** *NR2*

**Approvals:** **Process Plan:** MLS **Date:** 14-01-09 **Tooling:** _____ **Date:** _____

**QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

| Draw Nbr | Revision Nbr |
|---|---|
| D4003 | A |

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|---|---|---|---|---|---|---|---|---|---|
| 110 | | 0.00 | | | | | | | |
| *110* | | | | | | 2 | | FF | 28-01-14 |
| Small Fab | **Memo** | 0.00 | | | | | | | |
| Small Fab | 1- Form tube as per dwg D4003<br>2- Insert sleeve before flaring | | | | | | | | |
| 120 | QC5- Inspect part completeness to step on W/O | 0.00 | | | | | | | |
| *120* | | | | | | 2 | | | |
| QC | **Memo** | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |
| 130 | Chemical Conversion Coat per QSI005 4.1 | 0.00 | | | | | | | |
| *130* | | | | | | 2 | | 14-1-29 | |
| HandFinish | **Memo** | 0.00 | | | | | | | |
| Hand Finishing | | | | | | | | | |

DAS 27 9-89

M 1 1 28

[illegible]

# Work Order ID 110862

*January-08-14 12:36:22 PM*

*110862*

**Item ID:** D4003-049 **Accept** *N900040100* **Setup Start** *NS1*

**Revision ID:** **Stop** *NS2*

**Item Name:** Tank Vent Line Assembly

**Start Date:** 1/08/14 **Start Qty:** 2.00 *2*

**Required Date:** 1/08/14 **Req'd Qty:** 2.00 *2*

**Reference:**

**Cust Item ID:**

**Customer:**

**Run Start** *NR1*

**Stop** *NR2*

**Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

**QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|---|---|---|---|---|---|---|---|---|---|
| 140 | QC7-Inspect Chemical Conversion Coat | 0.00 | | | | 2x | | | 14/01/29 DAS 36 9-89 |
| *140* | | | | | | | | | |
| QC | **Memo** | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |
| 150 | | 0.00 | | | | 2 | | | FF 29-01-14 |
| *150* | | | | | | | | | |
| Small Fab | **Memo** | 0.00 | | | | | | | |
| Small Fab | Install nut as per dwg | | | | | | | | |
| 160 | QC5- Inspect part completeness to step on W/O | 0.00 | | | | 2 | | | |
| *160* | | | | | | | | | |
| QC | **Memo** | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |

DAS 27 9-89

14/1/29

**Item ID:** D4003-049 **Accept** *N900040100* **Setup Start** *NS1*
**Revision ID:** **Stop** *NS2*
**Item Name:** Tank Vent Line Assembly

**Start Date:** 1/08/14 **Start Qty:** 2.00 *2* **Cust Item ID:**
**Required Date:** 1/08/14 **Req'd Qty:** 2.00 *2* **Customer:**
**Reference:**

**Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____ **Run Start** *NR1*
**QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____ **Stop** *NR2*

| Sequence ID/ Work Center ID | Operation Description | Set Up/ Run Hours | Tool ID | Tool # | Plan Code | Accept Qty | Reject Qty | Reject Number | Insp. Stamp |
|---|---|---|---|---|---|---|---|---|---|
| 170 | Identify as per dwg & Stock Location: ST243 | 0.00 | | | | | | | DAS 33 9-89 |
| *170* | | | | | | 2 | | | 14-01-29 |
| Packaging | **Memo** | 0.00 | | | | | | | |
| Packaging | | | | | | | | | |
| 180 | QC21- Final Inspection - Work Order Release | 0.00 | | | | | | | |
| *180* | | | | | | MCJ 14-01-29 | | | |
| QC | **Memo** | 0.00 | | | | | | | |
| Quality Control | | | | | | | | | |

MCJ 14-01-29

# Picklist Print

*January-08-14 12:36:22 PM*



1

**Work Order ID:** 110862

**Parent Item:** D4003-049 **Start Date:** 1/08/14 **Required Date:** 1/08/14

**Parent Item Name:** Tank Vent Line Assembly **Start Qty:** 2.00 **Required Qty:** 2.00

**Comments:** IPP rev A 10.01.05 new Issue Prelim EC verified by: DD IPP Rev B 10.05.13 ecn 10-562
EC verified by:DD IPP REV:C 13.04.17 NOW MADE IN HOUSE DD VERF:JLM

| Component Item ID/ Item Name | Replacement Item ID | Mfg/ Purch | Bin Item | Primary Location | Last Location | Route Seq ID | Unit of Measure | Qty on Hand | Qty per Kit | Total Qty | Qty Issued | Date Issued | Status |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **AN818-8D**<br>Nut | | Purchased | No | | | | Each | 35.0000 | | 2 | FF | 28-01-14 | |
| | | | | **Location** | | **Loc Qty** | | **Loc Code** | | | | | |
| | | | | ST348 | | 3 | | | | | | | |
| | | | | | m126474 | 3 | | | | 2 | | | |
| | | | | ST551 | | 32 | | | | | | | |
| | | | | | m114523 | 12 | | | | | | | |
| | | | | | m127044 | 20 | | | | | | | |
| **M6061T6T0.500W.035**<br>6061-T6 RD Tube .500 x.035W | | Purchased | No | | | | f | 114.0000 | | 3 | FF | 28-01-14 | |
| | | | | **Location** | | **Loc Qty** | | **Loc Code** | | | | | |
| | | | | MAT014 | | 114 | | | | | | | |
| | | | | | 121848 | 48 | | | | | | | |
| | | | | | M127417 | 66 | | | | 3 | | | |
| **MS20819-8D**<br>Sleeve | | Purchased | No | | | | Each | 24.0000 | | 2 | FF | 28-01-14 | |
| | | | | **Location** | | **Loc Qty** | | **Loc Code** | | | | | |
| | | | | ST312 | | 24 | | | | | | | |
| | | | | | m126275 | 24 | | | | 2 | | | |

| ITEM NO. | QTY. -049 | PART NUMBER | DESCRIPTION | JOHN CAMERON AVIATION PART NUMBER |
|---|---|---|---|---|
| 1 | X | D4003-049 | TANK VENT LINE ASSEMBLY | JCA-M47-2-17 |
| | | | | |
| 2 | 1 | D4003-9 | VENT LINE | |
| 3 | 1 | AN818-8D | NUT | |
| 4 | 1 | MS20819-8D | SLEEVE | |




110862 MLJ
14-01-09

**D4003-049 TANK VENT LINE ASSEMBLY**

RELEASED
2010 -05- 05
MP

NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4003-049" AND B/N USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.11 lbs

| | | |
|---|---|---|
| DESIGN | | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |
| DRAWN | | |
| CHECKED | | DRAWING NO. D4003 REV. A |
| MFG. APPR. | | SHEET 2 OF 9 |
| APPROVED | | TITLE LINE SCALE NTS |
| DE APPR. | | |
| DATE 10.02.05 | | |

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: _____ Date: _____

# WORK ORDER NON-CONFORMANCE / UPDATE

DART AEROSPACE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

**DISPOSITION**

- Rework ☐
- Scrap ☐
- Use-as-is ☐
- Suspected Unapproved ☐

**AGAINST DEPARTMENT/PROCESS**

- Skid-tube ☐
- Machining ☐
- Thermoforming ☐
- Large Fab ☐
- Crosstube ☐
- Small Fab ☐
- Finishing ☐
- Composite ☐
- Water Jet ☐
- Prod. Eng. Coor. ☐
- Rec/Store/Packaging ☐
- Supplier ☐
- Engineering ☐
- Quality ☐
- Other ☐

| Root Cause | | Date | Step | Qty | Description of work order update or non-conformance | Initial Chief Eng | Action Description | Sign & Date | Verification | QC Inspector |
|---|---|---|---|---|---|---|---|---|---|---|
| Design | ☐ | | | | | | | | | |
| Doc/Data | ☐ | | | | | | | | | |
| Equip/Tooling | ☐ | | | | | | | | | |
| Handling/Pre | ☐ | | | | | | | | | |
| Material | ☐ | | | | | | | | | |
| Operator | ☐ | | | | | | | | | |
| Offset/Setup | ☐ | | | | | | | | | |
| Process | ☐ | | | | | | | | | |
| Supplier | ☐ | | | | | | | | | |
| Training | ☐ | | | | | | | | | |
| Transport | ☐ | | | | | | | | | |
| Unapproved | ☐ | | | | | | | | | |

**FAULT CATEGORY**

**Landing Gear**

- ☐ Bending
- ☐ Centre Not Concentric
- ☐ Cracks
- ☐ Crimp/Kink/Ripple/Wave
- ☐ Cuffs
- ☐ Crushing
- ☐ Heat Treat
- ☐ Inspection Strip in Tube
- ☐ Marks/Chatter
- ☐ Turning Sequence
- ☐ Wave/Twist in Tube

**General**

- ☐ Bend
- ☐ BOM/Route
- ☐ Broken/Damage/Defect
- ☐ Burrs
- ☐ Contamination
- ☐ Countersink
- ☐ Cut Too Short
- ☐ Drawing
- ☐ Drill Holes
- ☐ Finish
- ☐ Fit/Function
- ☐ Folio/Program
- ☐ Grain
- ☐ Hardware
- ☐ Inspection Incomplete/Unqualified
- ☐ Instructions Incomplete/Unclear
- ☐ Misaligned/off center
- ☐ Mislabeled
- ☐ Misread
- ☐ Off-set
- ☐ Out of Calibration
- ☐ Out of Sequence
- ☐ Outside Dimensions
- ☐ Over/Under tolerance
- ☐ Part Incorrect
- ☐ Part Lost/Missing
- ☐ Part Moved
- ☐ Positioned Wrong
- ☐ Power Loss/Surge
- ☐ Pressure/Forced
- ☐ Set-up
- ☐ Temperature/Cure
- ☐ Weld
- ☐ Wrong Stock Pulled
- ☐ Other

_____

_____

_____

| DART AEROSPACE PART NUMBER | JOHN CAMERON AVIATION PART NUMBER |
|---|---|
| D4003-9 | REF JCA-M47-2-17 |









**D4003-9 VENT LINE**

RELEASED
2010 -05- 05

NOTES:
1) MATERIAL: 6061-T6 OR 6061-T62 ALUMINUM TUBING, Ø0.500 X 0.035 WALL THICKNESS PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 REF DART SPEC M6061T60.500W.035
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: N/A
7) WEIGHT: 0.08 lbs

| | | |
|---|---|---|
| DESIGN | | DART AEROSPACE LTD<br>HAWKESBURY, ONTARIO, CANADA |
| DRAWN | | |
| CHECKED | | DRAWING NO. D4003 — REV. A — SHEET 7 OF 9 |
| MFG. APPR. | | |
| APPROVED | | TITLE: LINE — SCALE: NTS |
| DE APPR. | | |
| DATE | 10.02.05 | |

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DQA: _____ Date: _____

DART AEROSPACE

# WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: Date: Work Order update only ☐

Work Order: _____

Part No. _____

NCR No. _____

**DISPOSITION**

Rework ☐
Scrap ☐
Use-as-is ☐
Suspected Unapproved ☐

**AGAINST DEPARTMENT/PROCESS**

Skid-tube ☐ Crosstube ☐ Water Jet ☐ Engineering ☐
Machining ☐ Small Fab ☐ Prod. Eng. Coor. ☐ Quality ☐
Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐
Large Fab ☐ Composite ☐ Supplier ☐ ☐

| Root Cause | | Date | Step | Qty | Description of work order update or non-conformance | Initial Chief Eng | Action Description | Sign & Date | Verification | QC Inspector |
|---|---|---|---|---|---|---|---|---|---|---|
| Design | ☐ | | | | | | | | | |
| Doc/Data | ☐ | | | | | | | | | |
| Equip/Tooling | ☐ | | | | | | | | | |
| Handling/Pre | ☐ | | | | | | | | | |
| Material | ☐ | | | | | | | | | |
| Operator | ☐ | | | | | | | | | |
| Offset/Setup | ☐ | | | | | | | | | |
| Process | ☐ | | | | | | | | | |
| Supplier | ☐ | | | | | | | | | |
| Training | ☐ | | | | | | | | | |
| Transport | ☐ | | | | | | | | | |
| Unapproved | ☐ | | | | | | | | | |

**FAULT CATEGORY**

**Landing Gear**

☐ Bending
☐ Centre Not Concentric
☐ Cracks
☐ Crimp/Kink/Ripple/Wave
☐ Cuffs
☐ Crushing
☐ Heat Treat
☐ Inspection Strip in Tube
☐ Marks/Chatter
☐ Turning Sequence
☐ Wave/Twist in Tube

**General**

☐ Bend
☐ BOM/Route
☐ Broken/Damage/Defect
☐ Burrs
☐ Contamination
☐ Countersink
☐ Cut Too Short
☐ Drawing
☐ Drill Holes
☐ Finish
☐ Fit/Function
☐ Folio/Program
☐ Grain
☐ Hardware
☐ Inspection Incomplete/Unqualified
☐ Instructions Incomplete/Unclear
☐ Misaligned/off center
☐ Mislabeled
☐ Misread
☐ Off-set
☐ Out of Calibration
☐ Out of Sequence
☐ Outside Dimensions
☐ Over/Under tolerance
☐ Part Incorrect
☐ Part Lost/Missing
☐ Part Moved
☐ Positioned Wrong
☐ Power Loss/Surge
☐ Pressure/Forced
☐ Set-up
☐ Temperature/Cure
☐ Weld
☐ Wrong Stock Pulled
☐ Other

_____
_____
_____

# DART AEROSPACE LTD

| | | | |
|---|---|---|---|
| Description: Tank Vent Line Assembly | | Work Order: | 110862 |
| Inspection Drawing: D4003 | Rev: A | Part Number: | D4003-049 |

## INSPECTION SHEET

| Drawing Dimension | Tolerance | Actual Dimension | Accept | Reject | Method of Inspection | Comments |
|---|---|---|---|---|---|---|
| 6.69 | | 6.69 | ✓ | | S Fab-09 | |
| R. 1.77 | | R. 1.77 | ✓ | | S Fab-05 | |
| 2.84 | | 2.84 | ✓ | | S. Fab-09 | |
| 2.74 | | 2.74 | ✓ | | S. Fab-09 | |
| 6.25 | | 6.25 | ✓ | | S. Fab-07 | |
| 8.17 | | 8.17 | ✓ | | S Fab-09 | |
| 24° | | 24° | ✓ | | S Fab-05 | |
| 0.50 NOM | | 0.50 | ✓ | | S. Fab-14 | |
| 70° | | 70° | ✓ | | S Fab-05 | |

| Measured by: | Checked By: DAS 30 9-89 | QC inspector: DAS 27 9-89 | Engineering Approval (*if necessary*): |
|---|---|---|---|
| E.F. | | | |
| Date 28-01-14 | Date 14/01/28 | Date 14/1/28 | Date |